



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



## Item No.: CKX1001

### LED light bulb

- 1, Base: E27 GU10 MR16
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current:350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15°30°45°50°
- 9, Operation Temperature: -20°-+50°
- 10, Fixture Material: Aluminium
- 11, Life Span:50000 Hours



## Item No.: CKX1003

### LED light bulb

- 1, Base: E27 GU10 MR16
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current:350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15° 30° 45° 50°
- 9, Operation Temperature: -20° -+50°
- 10, Fixture Material: Aluminium
- 11, Life Span:50000 Hours



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>CE RoHS</p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1004</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 GU10 MR16</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350-700mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 1x1W/1X3W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	---

 <p>CE RoHS</p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1006</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 7x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	---



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



## CKX1012

### LED light bulb

- 1, Base: E27 GU10 MR16
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350-700mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 1x1W/1X3W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15° 30° 45° 50°
- 9, Operation Temperature: -20° --+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



## CKX1013

### LED light bulb

- 1, Base: E27
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 5x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15° 30° 45° 50°
- 9, Operation Temperature: -20° --+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1014</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 9x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	---

 <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1015</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 12x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p><b>CE RoHS</b></p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1016</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 E26</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 120°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	---

 <p><b>CE RoHS</b></p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1017</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 8° 30°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	---



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



## CKX1018

### LED light bulb

- 1, Base: E27 GU10 MR16
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current:350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 8° 30°
- 9, Operation Temperature: -20° --+50°
- 10, Fixture Material: Aluminium
- 11, Life Span:50000 Hours



## Item No.: CKX1019

### LED light bulb

- 1, Base: E27 GU10 MR16
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current:350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 8° 30°
- 9, Operation Temperature: -20° --+50°
- 10, Fixture Material: Aluminium
- 11, Life Span:50000 Hours



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1024</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 G53</li><li>2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 9x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	---

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1031</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 7x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 8° 30°</li><li>9, Operation Temperature: -20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	---



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>CKX1032</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 E26 GU10 MR16</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature: 0° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	---

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1033</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 120°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	---





# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

<p><b>CE RoHS</b></p>  <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1034</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 4x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 120°</li><li>9, Operation Temperature:-20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--

<p><b>CE RoHS</b></p>  <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1035</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 7x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 180°</li><li>9, Operation Temperature:-20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	---



# CK Electronics Technology Co., Limited

10/22

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1036</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 180°</li><li>9, Operation Temperature:-20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	---

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1038</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: GU10 MR16</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 8° 30°</li><li>9, Operation Temperature:-20° --+50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	--



# CK Electronics Technology Co., Limited

11/22

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



**Item No.: CKX1040**

**LED light bulb**

- 1, Base: E27 GU10 MR16
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 8° 30°
- 9, Operation Temperature: -20° +50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



**Item No.: CKX1041**

**LED light bulb**

- 1, Base: E27 GU10 MR16 E26 E14 E17
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15° 30° 45° 50°
- 9, Operation Temperature: -20° +50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



# CK Electronics Technology Co., Limited

12/22

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



## Item No.: CKX1042

### LED light bulb

- 1, Base: E27 GU10 MR16 E26 E14 E17
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350-700mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 1x1W/ 1x3W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15° 30° 45° 50°
- 9, Operation Temperature: -20° -+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



## Item No.: CKX1043

### LED light bulb

- 1, Base: E27
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 130°
- 9, Operation Temperature: -20° -+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p><b>CE RoHS</b></p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1044</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage:12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 130°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--

 <p><b>CE RoHS</b></p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1045</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage:24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 7x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 130°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	---



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



## Item No.: CKX1049

### LED light bulb

- 1, Base: E27
- 2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 6x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 130°
- 9, Operation Temperature: -20° -+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



## Item No.: CKX1050

### LED light bulb

- 1, Base: E27
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 5x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 130°
- 9, Operation Temperature: -20° -+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



## CKX1051

### LED light bulb

- 1, Base: E27
- 2, Input Voltage: 24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 7x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15° 30° 45° 50°
- 9, Operation Temperature: -20° -+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



## Item No.: CKX1052

### LED light bulb

- 1, Base: E27
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current: 350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 9x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle: 15° 30° 45° 50°
- 9, Operation Temperature: -20° -+50°
- 10, Fixture Material: Aluminium
- 11, Life Span: 50000 Hours



# CK Electronics Technology Co., Limited

16/22

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1055</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 GU10 MR16</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	--

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1056</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 GU10 MR16</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 15° 30° 45° 50°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	--





# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1057</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current: 350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 8° 15° 30°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	--

 <p>CE RoHS</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1058</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current: 350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle: 160°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	--



# CK Electronics Technology Co., Limited

18/22

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

<p><b>CE RoHS</b></p>  <p><a href="http://www.cktechhk.com">www.cktechhk.com</a></p>	<p><b>Item No.: CKX1059</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 GU10 MR16</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle:8° 15° 30°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--

<p><b>CE RoHS</b></p>  <p><a href="http://www.cktechhk.com">www.cktechhk.com</a></p>	<p><b>Item No.: CKX1060</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle:15° 30° 45° 50°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	---



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com



**Item No.: CKX1061**

**LED light bulb**

- 1, Base: E27
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current:350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 12x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle:15° 30° 45° 50°
- 9, Operation Temperature:-20° +-50°
- 10, Fixture Material: Aluminium
- 11, Life Span:50000 Hours



**Item No.: CKX1062**

**LED light bulb**

- 1, Base: E27
- 2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz
- 3, Output Current:350mA
- 4, Light source: LED
- 5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar
- 6, Power: 3x1W
- 7, Color: Warm White/Cool White/Yellow/Red/Blue/Green
- 8, Beam Angle:160°
- 9, Operation Temperature:-20° +-50°
- 10, Fixture Material: Aluminium
- 11, Life Span:50000 Hours



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p>CE RoHS</p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1063</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle:160°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	--

 <p>CE RoHS</p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1064</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle:160°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
--	--




# CK Electronics Technology Co., Limited


Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

<p><b>CE RoHS</b></p>  <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1065</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 3x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle:160°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--

<p><b>CE RoHS</b></p>  <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1066</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green</li><li>8, Beam Angle:160°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--



# CK Electronics Technology Co., Limited

Heshuikou industrial Area, Guangming New District, Shenzhen, China

Tel: 86-755-83069393 83427879 Fax: 86-755-83069393

Email: ck@cktechhk.com sales@cktechhk.com

Website: www.cktechhk.com

 <p><b>CE RoHS</b></p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1067</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 E26 B22</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 5x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green/RGB</li><li>8, Beam Angle:160°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--

 <p><b>CE RoHS</b></p> <p>www.cktechhk.com</p> <p>www.cktechhk.com</p>	<p><b>Item No.: CKX1068</b> <b>LED light bulb</b></p> <ol style="list-style-type: none"><li>1, Base: E27 E26 B22</li><li>2, Input Voltage: 12-24VAC/DC 85-265VAC 50/60Hz</li><li>3, Output Current:350mA</li><li>4, Light source: LED</li><li>5, LED brand: SSC/Cree/Edison/Luxeon/HLE/Epistar</li><li>6, Power: 4x1W</li><li>7, Color: Warm White/Cool White/Yellow/Red/Blue/Green/RGB</li><li>8, Beam Angle:160°</li><li>9, Operation Temperature:-20° +-50°</li><li>10, Fixture Material: Aluminium</li><li>11, Life Span:50000 Hours</li></ol>
---	--